BELLEVUE EAST HIGH SCHOOL			**Bid Date:**	**4/11/2018**	**2:00 PM**			
2018-2019 ROOF REPLACEMENT PROJECT								
BELLEVUE, NEBRASKA								
BIDDING CONTRACTOR	**BASE BID**			**ADDENDUM**	**BID BOND**		**TOTAL**	**NOTES**
McCoy Construction	$ 735,000.00			None	Yes		$ 735,000.00	
Scott Enterprises	$ 975,000.00			None	Yes		$ 975,000.00	Note 1
McKinnis Roofing	$ 1,002,926.00			None	Yes		$ 1,002,926.00	
Bradco Company	$ 1,055,500.00			None	Yes		$ 1,055,500.00	Note 2, 3
10 Men LLC	$ 1,091,000.00			None	Yes		$ 1,091,000.00	
Note 1: Submitted Voluntary Alternate of 1.25# EPS insulation in lieu of specified insulation, Minimum R-20. Deduct $45,000 from base bid.								
Note 2: Submitted Voluntary Alternate of 1.25# tapered EPS insulation in lieu of specified insulation. Base layers to remain as 3" polyiso insulation. Deduct $55,500								
Note 3: Submitted Voluntary Alternate of using Carlisle Fleeceback 115 roof membrane and eliminating 1/2" coverboard and standard 60 mil adhered EPDM system.								
	Deduct $55,500 on this option							
.								